
1ピッチタイプ ―ユニファイネジ加工用―

RNU (型番)





ΦDの公差は#100~#1000選択時に適用。

ネジの呼び	外 径	山 数	ピッチ	シャンク径	全長				
	φD	N 指定1山単位	Р	ФΥ	L	3~4本	5~6本	7~8本	9~10本
No.3-48UNC	1.85	10~14	0.529	3.0	50	8,720	7,270	6,400	5,810
No.4-40UNC	2.0	10~14	0.635	3.0	50	8,190	6,830	6,010	5,460
No.5-40UNC	2.3	10~16	0.635	3.0	50	7,670	6,390	5,630	5,110
No.6-32UNC	2.5	10~16	0.793	3.0	50	7,670	6,390	5,630	5,110
No.8-32UNC	3.0	10~18	0.793	6.0	70	7,670	6,390	5,630	5,110
No.10-24UNC	3.4	10~20	1.058	6.0	70	7,670	6,390	5,630	5,110
No.12-24UNC	4.0	10~20	1.058	6.0	70	9,080	7,570	6,660	6,050
1/4-20UNC	4.5	10~20	1.27	6.0	80	9,440	7,870	6,920	6,290
5/16-18UNC	5.9	10~20	1.411	6.0	80	10,320	8,600	7,570	6,880
3/8-16UNC	7.1	10~20	1.587	8.0	80	10,530	8,780	7,730	7,020
7/16-14UNC	8.4	10~20	1.814	10.0	100	11,250	9,380	8,250	7,500
1/2-13UNC	9.9	10~20	1.953	10.0	100	12,300	10,250	9,020	8,200

(カタログに記載されている規定本数を越えるご注文を希望される場合は、お客様窓口までご相談ください。) *ピッチは全て並目になります。

注文例 RNU - DIA - No.6-32 - N16 - #230 (型番) (砥種) (ネジの呼び) (山数) (粒度)

DIA(ダイヤ)又はCBN(ボラゾン)

粒度表より指定

☆加工される被削材によって、多種 多様な電着の仕様をご提案致しま すのでお気軽にご相談ください。

納期/実働〇日目発送特急納期/実働7日目発送

特急料金								
3~4本	¥800増/1本							
5本以上	一律¥3,500増							

粒度表

ネジの呼び															
	#40	#60	#80	#100	#120	#140	#170	#200	#230	#270	#325	#400	#600	#800	#1000
No.3-48UNC										\circ	0	0	0	\circ	
No.4-40UNC										0	0	0	0	0	
No.5-40UNC									0		0	0		\circ	
No.6-32UNC									0	0	0	0	0	0	
No.8-32UNC									0		0			\circ	
No.10-24UNC									0	0	0	0	0	0	
No.12-24UNC							0	0	0	0	0	0	0	0	
1/4-20UNC							0	0	0	0	0	0	0	0	
5/16-18UNC							0	0	0	0	0	0	0	0	
3/8-16UNC						0	0	0	0	0	0	0	0		
7/16-14UNC					0	0	\circ	0	0	0	0	0	0		
1/2-13UNC				0	0	0	0	0	0	0	0	0	0		

・○印がご指定頂けます。○印がお勧めです。